

SUPPLEMENT TO



The Gazette of India

No. 36]

NEW DELHI, SATURDAY, SEPTEMBER 29, 1956

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 1st September, 1956

	CHOLERA						SMALLPOX						PLAQUE																								
	C.		D.		C.		D.		C.		D.		C.		D.		C.																				
STATES PART (A) AND PART (C)																																					
Assam—contd.																																					
Aimer																																					
(Estd. mid-year pop. 9,817 thousands)																																					
TOTAL	3	1	..																		
(Estd. mid-year pop. 752 thousands.)																																					
Total for w/e 25-8-56																		
Total for w/e 18-8-56																		
7-yearly mean for the week																		
Bhopal																																					
TOTAL																																					
(Estd. mid-year pop. 867 thousands)																																					
Andhra																																					
Visakhapatnam	4	2	2	2	..																		
Godavari East	6	2	2	2	..																		
Godavari West	21	4																		
Krishna	8	3	25	1																		
Guntur	1	..	37	2																		
Nellore	19	5																		
Kurnool	6	4	20	3																		
Anantapur	2	1																		
Chittoor	1																		
TOTAL	..	15	7	135	20																		
(Estd. mid-year pop. 21,238 thousands)																																					
Total for w/e 25-8-56	2	2	96	16																		
Total for w/e 18-8-56	5	3	161	22																		
7-yearly mean for the week	181	93	79	12																		
Assam																																					
Sibsagar																																					
TOTAL	17	3																		
(Estd. mid-year pop. 42,198 thousands)																																					
Bihar																																					
Patna																		
Gaya																		
Shahabad																		
Saran																		
Muzaffarpur																		
Darbhanga																		
Bhagalpur																		
Santal Parganas																		
Manbhum																		
TOTAL																		
	232	86	8																		
Total for w/e 25-8-56	328	138	9	3																		
Total for w/e 18-8-56	269	101	8	5																		
7-yearly mean for the week																		

Explanation of symbols used: C. = Cases; D. = Deaths; .. = Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 1st September, 1956—contd.

	CHOLERA				SMALLPOX				PLAQUE					CHOLERA				SMALLPOX				
	C.	D.	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	
Bombay																						
Greater Bombay	3	I															
Ahmedabad	2	I															
Surat	2															
East Khandesh	..	31	3															
West Khandesh	..	58	5															
Nasik	I	I															
Satara North	3															
Sholapur	2															
Kanara	I															
TOTAL	89	8	12	3															
(Estd. mid-year pop. 39,569 thousands)																						
Total for w/e 25-8-56	174	19	9	3															
Total for w/e 18-8-56	134	24	17	6															
7-yearly mean for the week	..	73	31	27	5															
Coorg																						
TOTAL	..																					
(Estd. mid-year pop. 262 thousands.)																						
Total for w/e 25-8-56	—															
Total for w/e 18-8-56															
7-yearly mean for the week	I															
TOTAL	..																					
(Estd. mid-year pop. 38,273 thousands)																						
Total for w/e 25-8-56															
Total for w/e 18-8-56															
7-yearly mean for the week	I															
Delhi																						
Delhi City	3															
TOTAL	3															
(Estd. mid-year pop. 613 thousands.)																						
Estd. Census pop. 1,744 thousands)															
Total for w/e 25-8-56	I	I															
Total for w/e 18-8-56	I	I															
7-yearly mean for the week															
Manipur																						
TOTAL	..																					
(Estd. mid-year pop. 463 thousands.)																						
Total for w/e 25-8-56															
Total for w/e 18-8-56															
7-yearly mean for the week															
Orissa																						
Cuttack															
Balasore															

Explanation of symbols used: C.—Cases; D.—Deaths; ..—Nil; "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 1st September, 1956—*contd.*

	CHOLERA						SMALLPOX						PLAQUE							CHOLERA						SMALLPOX						PLAQUE														
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.																
Orissa—<i>contd.</i>																											Uttar Pradesh																			
Puri	.	.	12	5	Agra	.	.	.	1	1																
Sambalpur	.	.	2	1	2	Aligarh	.	.	.	1	2																
Baudh	2	Bareilly	.	.	.	5	2																
Ganjam			37	30	Banaras	2																
Dhenkanal	.	.	3	3	4	Budaun	.	.	.	2	1																
			TOTAL	239	143	8	Kanpur	3	2																
(Estd. mid-year pop. 15,114 thousands)																																														
Total for w/e 25-8-56	.	341	182	18	2	Faizabad	10	2															
Total for w/e 18-8-56	.	247	140	39	6	Mirzapur	.	.	.	1															
7-yearly mean for the week	.	.	23	9	60	12	Rae Bareli	.	.	.	4	1															
			TOTAL	21	10	15	4	..	TOTAL	21	10	15	4																
Punjab (I)																																														
Jullundur	1	(Estd. mid-year pop. 66,780 thousands)						Total for w/e 25-8-56						Total for w/e 18-8-56						7-yearly mean for the week						Total for w/e 25-8-56													
			TOTAL	1		38	19	12	5		93	36	9	3		100	82	11	2	2	1														
(Estd. Census pop. 12,641 thousands)																																														
Total for w/e 25-8-56	Vindhya Pradesh						TOTAL						Total for w/e 25-8-56						Total for w/e 18-8-56						7-yearly mean for the week													
Total for w/e 18-8-56	(Estd. mid-year pop. 3,686 thousand)						Total for w/e 25-8-56						Total for w/e 18-8-56						Total for w/e 25-8-56						Total for w/e 18-8-56													
7-yearly mean for the week	3	1														
Pondicherry																																														
			TOTAL	—	..	42	11	—	West Bengal						Burdwan						Birbhum						Bankura						Midnapur						West Bengal							
Tripura																																														
			TOTAL	..	3	2	1	1	West Bengal						Burdwan						Birbhum						Bankura						Midnapur						West Bengal					
(Estd. mid-year pop. 706 thousands.)																																														
Total for w/e 25-8-56													
Total for w/e 18-8-56													

Explanation of symbols used :—C. = Cases ; D. = Deaths ; .. = Nil; "N. R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 1st September, 1956—contd.

Explanation of symbols used : C. = Cases; D. = Deaths; . = NIL; "N.R." = Information not received.

* Excluding Pondicherry.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 1st September, 1956—*contd.*

	CHOLERA SMALLPOX PLAGUE							CHOLERA SMALLPOX PLAGUE					
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.

Mysore

POLIOMYELITIS

For w/e 28-7-56.

(Revised)

(Information based on patients treated in hospitals in important towns.)

Chitaldrug	12	Delhi	.	.	5—18 Aug. 56	4 (Paretic)	..
Kolar	17	3	„	.	19 Aug.—1 Sept. 56	5 („)	..	
TOTAL	29	3	Hyderabad	.	„	„	2	..
								Greater Bombay	.	„	„	6	1

Explanation of symbols used : C.=Cases; D.=Deaths; ..=Nil.

NEW DELHI-2 (INDIA);
The 24th September, 1956.

K. MITRA,
for Registrar General, India.

Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S Small Savings Scheme

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES

Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.

10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES

3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.

10-YEAR NATIONAL PLAN CERTIFICATES

Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 100/- Individual holding upto Rs. 1,000/-.

POST OFFICE SAVINGS BANK ACCOUNTS

2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.

15-YEAR ANNUITY CERTIFICATES

Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.

Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st September, 1956

Town	Mid-year Popn. Est. (000)	Deaths from :-												
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
STATES--(Parts A and C)														
Ajmer														
Ajmer	223	75	17.5	13	4	6	..	49	17.4	11	
Beawar	59	14	12.3	7	2	1	4	22	19.4	14	
TOTAL	282	89	16.4	20	6	7	4	71	13.1	25	
Andhra														
Adoni	63	52	42.9	1	1	1	..	12	9.9	1	
Anantpur	38	53	72.5	1	..	7	8.5	..	
Anakapalli	46	88	99.4	4	5	3	..	37	41.8	..	
Bhilmavaram	36	32	46.2	1	11	15.9	3	
Chirala	43	62	75.0	2	..	2	..	8	9.7	2	
Chittoor	45	48	55.4	7	..	2	1	22	25.4	4	
Guddapah	42	30	37.1	1	5	6.2	1	
Eluru	99	32	16.8	6	..	1	1	30	15.8	3	
Gudivada	36	34	49.1	6	..	2	..	19	27.4	4	
Guntur	147	312	110.4	10	..	8	..	68	24.1	22	
Guntakal	37	22	30.9	..	1	..	5	..	1	..	10	14.1	..	
Kakinada	113	37	17.0	12	27	12.4	..	
Kurnool	68	95	72.7	1	3	3	2	44	33.7	8	
Masulipatnam	88	76	45.0	4	..	5	..	35	20.7	9	
Nandyal	37	20	28.1	..	1	..	3	..	1	..	10	14.1	4	
Nellore	95	114	62.4	9	4	1	1	38	20.8	7	
Proddatur	43	31	38.4	2	1	8	9.9	3	
Rajahmundry	122	78	33.2	4	..	2	1	22	9.4	5	
Tenali	67	76	59.0	7	3	24	18.6	8	
Vijaywada	201	186	48.2	10	5	5	2	49	12.7	10	
Visakhapatnam	128	114	46.3	..	2	..	13	..	20	..	91	36.9	21	
Vizianagaram	75	41	28.4	—	..	—	4	4	1	..	27	18.7	9	
TOTAL	1,668	1,633	50.9	..	4	—	110	25	61	9	604	18.6	124	
Assam														
Shillong†	46	2	2.2	—	3	3.3	..	
Gauhati†	43	12	12.2	2	4	4.8	1	
TOTAL	89	14	8.1	2	7	4.1	1	
Bhopal														
Bhopal	116	42	18.8	2	..	2	..	5	2.2	..	
Bihar														
N. R.														
Bombay														
Ahmedabad	889	860	50.3	..	1	..	33	30	98	..	445	26.0	137	
Ahmednagar	88	61	36.0	2	5	..	20	11.8	5	
Amalner	50	22	22.9	7	1	12	12.5	3	
Bagalkot	36	25	36.1	3	1	1	..	9	13.0	1	
Baroda	242	220	47.3	19	3	14	1	78	16.8	18	
Barsi	46	47	53.1	5	2	..	2	22	24.8	1	
Belgaum	110	156	73.7	5	1	9	..	57	27.0	19	
Bhusawal	62	66	55.4	5	..	4	..	13	10.9	2	
Bijapur	75	45	31.2	6	..	2	..	14	9.7	1	
Brach	67	65	59.5	3	..	2	..	19	14.7	5	
Cambay	41	40	50.8	1	1	..	5	6.3	..	
Chalisgaon	35	30	44.6	5	8	11.9	2	
Dharwar	76	46	31.5	2	14	9.6	3	
Dhulia	89	56	32.5	5	1	2	..	13	6.5	4	
Gadag Betegeri	71	43	31.4	6	..	1	1	20	14.6	4	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information ; N.R.—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st September, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Bombay—<i>contd.</i>													
Godra	40	39	50.7	3	..	1	..	8	10.4	..
Greater Bombay	3,449	1,971	29.7	—	1	..	1	28	119	2	630	9.5	174
Hubli	148	41	14.4	5	..	17	6.0	..
Jalgaon†													
Kalyan	73	47	33.5	3	3	1	..	15	10.7	6
Kolhapur	159	120	39.2	1	2	5	..	24	7.8	1
Malegaon†													
Miraj	44	27	31.9	1	..	5	..	15	17.7	1
Nadiad	71	54	39.4	11	22	16.1	7
Nandurbar	35	33	49.0	1	1	2	..	9	13.4	1
Nasik	119	81	35.4	5	3	2	..	31	13.5	10
Navasari	50	43	44.7	6	..	1	..	13	13.5	8
Pandharpur	44	41	48.5	5	4	4	1	22	26.0	10
Patan	47	41	45.4	5	3	2	..	17	18.8	1
Poona	607	355	30.4	7	6	22	1	142	12.2	32
Sangli	58	27	24.2	2	2	1	..	11	9.9	1
Satara	40	45	58.5	5	..	4	1	17	22.1	3
Sholapur	299	279	48.5	20	11	40	..	130	22.6	29
Surat	250	215	44.7	9	3	16	..	101	21.0	24
Thana	61	27	23.0	1	6	5.1	1
TOTAL	7,571	5,268	36.2	..	2	..	188	110	369	9	1,979	13.6	514
Delhi State													
Delhi City	1,124	783	36.2	81	13	34	..	194	10.0	57
New Delhi	374	258	36.0	6	11	2	..	91	12.6	24
N.A.C. Civil Station, Delhi	117	108	48.0	2	2	3	..	20	8.9	9
Delhi Cantt.	50	25	26.0
Delhi-Shahadara	53	51	50.0	2	2	1	..	9	8.8	6
TOTAL	1,718	1,225	37.0	91	28	40	..	314	9.5	96
Madhya Pradesh													
Achalpur	38	33	45.2	4	..	1	..	13	17.8	5
Akola	104	117	58.5	7	4	1	..	27	13.5	5
Amravati	101	165	84.9	2	2	..	1	25	12.8	8
Bilaspur	40	51	66.3	3	1	23	29.9	7
Burhanpur	79	72	47.4	7	..	1	..	10	6.6	..
Chanda†													
Chhindwarat													
Damoh†													
Gondia†													
Hingaghāt†													
Jabalpur	237	181	39.7	13	2	8	..	53	11.6	..
Khandwa	59	30	28.4	..	1	..	3	12	10.6	..
Khargone†													
Kamptee	36	26	41.9	2	9	13.0	1
Murwara	39	29	38.7	3	..	8	..	11	14.7	..
Itarsi†													
Nagpur	528	175	17.2	13	4	10	..	70	6.9	..
Sagar	75	35	24.3	2	12	8.3	..
Raipur†													
Raigarh†													
Wardha†													
Yeotmal	41	54	68.5	9	2	2	..	21	26.6	7
TOTAL	1,377	968	36.6	..	1	..	68	15	31	1	286	10.8	33

*In cases of towns where there has been an abnormal movement of population, it is likely that the Population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st September, 1956—contd.

Deaths from :—

Town	Mid-year Popn. Est. (000).	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madras													
Ambur†													
Aruppukottai	56	38	35.3	4	3	3	..	21	19.5	7
Bodinayakanpur	40	25	32.5	2	9	11.7	1
Cannanore	47	24	27.0	4	..	14	15.7	..
Chidambaram	39	37	49.3	1	..	12	16.0	3
Coimbatore	234	260	57.8	3	13	12	..	102	22.7	21
Cuddalore	74	128	89.9	1	..	4	1	19	13.4	1
Dindigul	90	36	20.6	1	1	16	9.1	4
Erode	67	46	35.7	1	2	2	1	16	12.4	4
Gobichetty Palyan	38	15	20.5	1	..	6	8.2	1
Guddiyattam	53	52	51.0	2	3	1	25	24.5	10
Kancheepuram	90	52	30.0	2	3	9	3	31	17.9	9
Karaikudi	44	37	43.7	2	3	17	20.1	5
Karur	50	33	34.3	2	1	1	..	11	11.4	2
Kozhikode	176	241	71.2	4	2	8	..	81	23.9	14
Kumbakonam	105	83	41.1	2	1	..	24	11.9	6
Madras	1,703	1,447	44.2	..	6	..	64	138	151	1	631	19.3	174
Mangalore	136	101	38.6	1	3	5	..	29	11.1	8
Mathurai	427	376	45.8	5	12	25	1	112	13.6	30
Mayuram	49	60	63.7	1	10	10.6	4
Malapalyam	41	15	19.4	3	4	1	..	8	10.4	4
Nagapattinam	60	37	31.5	..	1	..	1	3	2	..	22	18.8	3
Ootacamund	48	62	67.2	1	..	5	5.4	1
Palni	40	15	19.5	1	3	..	9	11.7	1
Palayamkottai	45	73	84.4	2	..	2	1	21	24.3	2
Paigahat	77	45	30.4	1	..	2	..	21	14.2	1
Periyakulam	34	22	33.6	2	3	..	11	16.8	4
Pollachi	51	51	52.0	4	3	..	18	18.4	7
Pudukottai	50	37	38.5	..	1	..	1	1	..	1	13	13.5	3
Rajapalayam	69	28	21.1	2	4	4	..	17	12.8	..
Salem†													
Srirangam													
Srivilliputtur†	42	20	24.8	3	..	8	9.9	3
Tanjore	118	106	46.7	7	2	3	2	43	18.9	7
Tellicherry	42	47	58.2	18	22.3	6
Tiruvannamalai	45	41	47.4	1	..	2	1	11	12.7	3
Tirunelveli	80	69	44.9	3	5	..	24	15.6	9
Tiruppur	63	50	41.3	3	1	1	13	10.7	6
Tiruchirapalli	251	338	70.0	2	5	7	1	66	13.7	9
Tuticorin	111	72	33.7	..	1	..	3	5	10	..	51	23.9	18
Vaniyambadi	43	25	30.2	1	7	8.5	2
Vellore	124	131	54.9	2	5	9	..	44	18.5	11
Villupuram	39	44	58.7	1	..	2	..	8	10.7	1
Virudunagar	53	93	91.2	2	3	3	..	15	14.7	2
TOTAL	5,044	4,512	46.5	..	9	..	118	231	297	15	1,639	16.9	407

Orissa

Berhampur	72	35	25.3	3	4	1	1	15	10.9	2
Cuttack	117	137	61.1	7	11	8	..	59	26.3	6
Puri	53	64	63.0	..	1	..	7	4	1	..	26	25.6	1
TOTAL	242	236	50.7	—	1	..	17	19	10	1	100	21.5	9

Pondicherry

Pondicherry	68	85	65.0	..	1	..	7	5	8	6	64	48.9	7
-------------	----	----	------	----	---	----	---	---	---	---	----	------	---

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st September, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn.-Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.†	M.D.‡	Total	D.R.*	I.D.¶
Punjab (I)													
Ambala	65	63	50.7	4	6	4	..	16	12.9	5
Amritsar	343	222	33.8	1	13	33	..	104	15.9	30
Batala	62	49	41.1	11	2	2	..	20	16.6	8
Bhawan	57	62	56.8	5	4	1	..	14	12.7	5
Ferozepore	45	26	30.1	1	4	4.4	1
Hissar	39	32	42.7	2	1	1	..	9	12.0	3
Hoshiarpur	51	30	30.6	2	2	1	1	12	12.3	1
Jullundur†	72	64	46.4	6	..	1	..	12	8.7	6
Karnal
Ludhiana	176	156	46.3	15	..	1	1	28	8.3	6
Moga	41	39	49.5	4	..	1	..	10	12.6	..
Panipat	64	41	33.5	8	1	1	..	16	13.1	5
Pathankot	34	25	38.3	2	1	3	4.4	8
Rewari	36	35	50.8	3	2	1	..	11	16.0	6
Rohtak	105	74	36.7	3	5	3	..	19	9.5	12
Simla	50	37	38.6	1	1	..	9	9.4	7
Sonipat	34	30	46.1	2	..	1	..	8	12.1	3
TOTAL	1,274	985	40.2	68	39	52	2	295	12.0	106
Uttar Pradesh													
Agra	375	773	107.8	1	7	61	..	119	16.6	36
Allahabad	349	185	27.7	2	4	22	..	65	9.7	11
Amroha	61	66	56.6	3	4	2	..	28	24.0	99
Bahraich	47	27	30.0	2	..	7	6.7	4
Banaras	383	369	50.4	..	1	..	50	13	15	..	204	27.8	63
Ballia	35	9	13.4	3	..	1	..	5	7.5	..
Banda	32	42	68.6	3	1	1	..	9	14.7	5
Bareilly	203	95	24.5	7	4	11	..	27	6.9	4
Bijnor†
Budhun	54	35	33.9	4	1	5	..	16	15.5	3
Basti†
Bulandshahr†
Chandausi	41	58	73.6	8	1	4	..	15	24.1	5
Dehra Dun	146	57	20.4	2	1	3	..	19	5.4	5
Etawah†
Faizabad-Ayodhya	88	35	20.8	..	3	9	5.3	2
Farrukhabad-Fatehgarh	82	52	33.1	10	7	3	..	24	15.3	8
Ferozabad	79	46	30.4	5	2	1	..	13	8.6	4
Ghazibad	46	41	46.6	8	12	13.6	8
Ghazipur	36	35	50.8	6	14	20.3	2
Gorakhpur	140	100	37.3	4	3	21	7.8	8
Gonda	35	12	17.9	1	1	4	6.0	1
Hapur	49	45	48.0	12	1	17	18.1	2
Hardwar	64	44	35.9	21	..	1	..	33	26.8	7
Hathras	62	66	55.6	16	5	5	..	38	32.5	18
Jaunpur	56	40	37.3	3	..	5	..	12	11.2	1
Jhansi	116	115	51.8	23	4	1	..	43	19.4	13
Kanpur	734	516	36.7	149	22	48	8	380	27.1	102
Kasganj	54	14	21.5	1	12	1.5	1
Khurja	41	38	48.4	1	3	4	..	12	15.3	3
Koil-Aligarh	150	105	36.6	2	11	10	35	12.2	11
Lucknow	494	487	51.5	31	7	15	..	159	16.8	39
Mathura	110	80	38.0	5	2	4	..	24	11.4	6

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st September, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh—<i>contd.</i>													
Mau-Nath Bhanjant†													
Meerut	185	129	36.4	5	1	3	1	30	8.5	8
Mirzapur Vindhya Chal	97	76	41.0	10	1	2	..	22	11.8	7
Moradabad	164	111	35.4	13	3	4	..	50	15.9	11
Muzaffarnagar	74	46	32.5	8	13	9.2	5
Pilibhit	45	37	43.0	1	4	8	9.3	4
Rampur†													
Saharanpur	162	139	44.9	43	1	1	..	65	21.0	19
Sambhal	65	62	49.9	14	6	5	..	34	27.3	9
Shahjahanpur	99	54	22.2	18	1	29	11.9	13
Sitapur	49	25	26.5	1	1	4	4.3	3
TOTAL	5,082	4,266	43.6	3	3	..	506	117	229	9	1,620	16.6	460
West Bengal													
Asansol†													
Baidyabati													
Bally	33	15	23.8	1	1.6	..
66	6	4.8	3	2.4	1
Bankura	50	17	17.8	7	7.3	..
Bansberia†													
Baranagar	90	52	30.2	5	4	2	1	24	13.9	8
Basirhat	39	12	16.1	1	2	5	6.7	..
Berhampur	64	53	43.3	1	3	1	..	15	12.3	3
Bhadreshwar	34	9	13.8	2	1	4	6.2	..
Bhatpara	143	39	14.3	1	14	1	4	..	41	15.0	10
Budge-Budge	32	8	13.0	1	4	6	9.8	1
Burdwan	82	20	12.7	..	1	2	..	13	8.3	..
Calcutta	2,984	1,755	30.7	10	13	..	39	53	167	5	704	12.3	202
Champdani	41	20	25.4	2	2.5	..
Cooch Behar†													
Darjeeling†													
English-Bazar	36	1	1.5	3	..	4	..	3	1	2.9	..
Garden Reach	124	20	8.4	4	21	8.9	5
Halishahar	41	1	1.3	1	1.3	1
Hooghly-Chinsurah	60	66	57.5	1	2	3	..	25	21.8	5
Howrah	477	200	21.9	..	3	..	8	16	27	..	117	12.8	41
Jalpaiguri	49	17	18.1	2	—	1	..	12	12.8	..
Kamarhati†													
Kanchrapara	74	8	5.7
Krishnagar	56	4	3.7	1	1	0.9	..
Midnapore	45	23	26.6	1	2	12	13.8	..
Nabadwip	70	32	23.9	18	10	1	1	..	35	26.0	1
Naihati	62	3	2.5	1	1	4	3.4	..
North Barrackpore	36	4	5.8	2	2	2.9	2
Panihati	65	4	3.2	..	1	..	3	4	27	21.7	10
Shantipur	49	23	24.5	4	4.3	..
Serampore	83	40	25.2	..	1	..	3	1	5	..	19	12.0	..
Siliguri	44	29	34.5	2	2.4	..
South Dum Dum†													
South Suburban	124	67	28.3	1	5	..	10	4.2	7
Titagarh	78	26	17.3	2	9	1	13	8.7	..
TOTAL	5,231	2,574	25.6	34	12	..	103	97	217	13	1,130	11.2	301

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :— B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st September, 1956—*contd.*

Deaths from:—

Town	Mid-year Popn. Est. (000)	B.	B. R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
STATES—(Part B)													
Hyderabad													
Aurangabad	73	12	7.8	5	7	5.0	..
Bidar†	90	33	19.1	4	2	2	..	10	5.8	..
Gulberga
Hyderabad City	1057	192	9.4	30	3	17	..	118	5.8	21
Jalna†	2	1.5	..
Kothagudiam	71	32	23.5
Latur	41	1	1.2	1	..	1	..	2	2.5	..
Nanded	80	34	22.1	5	1	7	4.5	1
Nizambad	67	11	8.5	3	..	4	..	12	9.3	3
Parbhani	40	8	10.4	1	1	3	..	7	9.1	2
Raichur†
Secunderabad City	162	176	56.6	..	2	..	3	5	8	..	39	12.5	8
Warangal	155	25	8.4	3	..	1	—	9	3.0	..
TOTAL	1,836	524	14.8	..	2	..	55	11	36	1	213	5.9	33
Jammu & Kashmir													
Madhya Bharat													
Greater Gwalior	273	166	31.6	7	3	1	3	27	5.1	6
Indore	368	110	15.5	2	4	10	2	97	13.7	47
Ujjain	156	51	17.0	15	35	11.7	9
Ratlam	73	17	12.1	12	..	1	..	14	10.0	..
Mandsaur	41	10	12.8
TOTAL	911	354	20.2	36	7	12	5	173	9.9	62
Mysore													
Bhadrevatit
Bangalore	977	305	16.2	5	44	61	..	189	10.1	..
Mysore	294	152	26.9
Kolar Gold Field	173	137	41.2	3	6	1	1	27	8.1	..
Billary	78	45	30.0	4	3	5	1	44	29.3	..
Davangere†
Hospet†
Shimoga†
TOTAL	1,522	639	21.8	12	53	67	2	260	8.9	..
PRPSU													
Patiala City	111	81	37.9	13	2	2	..	28	13.1	10
Malerkotla	34	45	68.8	3	6	9.2	2
Bhatinda	39	39	52.0	4	1	7	9.3	4
TOTAL	184	165	46.6	20	2	2	1	41	11.6	16
Rajasthan													
Alwar†
Bharatpur†
Bikaner
Churu	48	2	2.2	1	1.1	..
Ganganagar	47	10	11.1	..	1	..	2	11	12.2	..
Tonk	45	3	3.5	1	1.2	..
Kotah	72	24	17.3	8	..	2	..	16	11.6	3
Sikar†
Jalpur	353	230	33.9	33	4	..	1	71	10.5	20
Udaipur†
Jodhpur†
TOTAL	565	269	24.8	..	1	..	43	4	2	1	100	9.2	2

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fvers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total Deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st September, 1956—contd.

Deaths from—

Town	Mid-year Popn. Est (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.†	I.D.‡
Travancore-Cochin													
Alleppey	148	172	60.4	1	3	20	7.0	3
Changanacherry	41	16	20.3	1	7	8.9	1
Ernakulam	70	32	23.8	4	..	19	14.1	2
Kottayam†	85	101	61.8	1	1	..	5	3.1	1
Mattancherry	94	42	23.2	3	2	1	..	15	8.3	1
Nagercoil
Quilon	75	92	63.8	2	1	11	7.6	3
Trichur	76	68	46.5	1	1	15	10.3	3
Trivandrum City	218	245	58.4	3	2	4	..	41	9.8	3
TOTAL	807	768	49.5	9	9	12	1	133	8.6	17

Saurashtra

“N.R.”

ARREAR RETURNS

West Bengal		for w/e 25-8-56											
Asansol†	..	66	14	11.0	1	1	..	2	1.6	1
Baidyabati†
Bally
Bankura	..	50	18	18.8	1	..	4	4.2
Bansberia†
Baranagar	..	90	46	26.3	1	4	2	..	18	10.5
Basirhat	..	39	6	8.0
Berhampur	..	64	44	35.9	..	1	..	1	2	2	..	15	12.3
Bhadreshwar	..	34	5	7.7	1	4	9	13.8
Bharpura	..	143	41	15.0	1	16	3	6	..	37	13.5
Budge Budge	..	32	10	16.3	1	..	1	1.6	..
Burdwan	..	82	28	17.9	..	1	..	1	3	2	1	27	17.2
Calcutta	..	2,984	1,727	30.3	1	5	..	33	60	120	5	627	11.0
Champadani	..	41	32	40.8	1	1.3
Gooch Behart†
Darjeeling†	..	124	20	8.4	..	1	..	8	3	1	..	15	6.3
English Bazar†
Garden Reach
Halishar	..	41	3	3.8
Hoogly-Chinsurah	..	60	73	63.6	2	1	2	3	1	15	13.1
Howrah	..	447	214	23.5	1	3	..	6	12	26	1	109	11.9
Jalpaiguri†	..	74	5	3.5
Kamarhati†
Kanchrapura
Krishnagar	..	56
Midnapore	..	45	60	69.7	2	2	9	10.5
Nabadwip	..	70	40	29.9	7	1	10	7.5
Naihati	..	62	9	7.6	1	1	..	6	5.1
North Barrackpore	..	36	3	4.4	3	1	1	..	5	7.3
Panihati	..	65	1	0.8
Shantipur	..	49	19	20.3	1	..	5	5.3
Serampore	..	83	50	31.5	2	2	2	..	18	11.3
Siliguri	..	44	5	5.9	1	..	1	1.2
South Dum Dum	..	124	13	5.5	6	11	4.6
South Suburban	..	78	26	17.4	1	12	16	10.7
Titagarh
TOTAL	5,113	2,512	25.5	6	11	..	94	107	171	9	961	9.8	301

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information; “N.R.”—Information not received.

Births and deaths from principal diseases, in towns with a population of 30,000 and over in India for the week ending the 1st September 1956—*contd.*

Deaths from—

Town,	Mid-year Popn.—Est. (000)	B	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Mysore													
Chitaldrug†													
Bhadravati†													
Bangalore	977	485	25.8	5	35	57	..	210	11.2	..
Mysore	294	138	24.4	7	2	38	6.7	..
Kolar Gold Field	173	82	24.6	1	5	1	..	24	7.3	..
Bellary	78	35	23.3	4	1	1	..	21	14.0	..
Davangere	69	74	55.8	7	3	28	21.1	..
Hospet	45	26	30.0	3	11	12.7	..
Shimoga	57	35	31.9	6	10	9.1	..
TOTAL	1,693	875	26.9	33	46	59	..	342	10.5	..
Punjab													
Pathankote	34	22	33.8	3	..	3	4.6	..
<i>for w/e 11-8-56</i>													
Karnal	72	32	23.2	4	9	6.5	..
Madhya Pradesh													
Khandaon	42	29	35.9	1	3	3.7	..
<i>for w/e 11-8-56</i>													
Nagpur	528	238	23.4	..	1	..	40	6	8	..	125	12.3	..
Kamptee	36	16	23.1	2	3	7.2	..
Jabalpur	42	36	44.6	5	3	15	18.6	..
<i>for w/e 18-8-56</i>													
Nagpur	528	214	21.1	28	24	6	..	106	10.5	5
Kamptee	36	26	37.7	4	11	15.9	..
Jabalpur	42	101	22.2	..	3	..	4	5	7	..	41	9.0	..
Marwara	39	7	9.3	1	..	1	1.3	..
Khamgaon	42	21	26.0	4	3	12	14.9	..
<i>for w/e 25-8-56 (Revised)</i>													
Nagpur	528	203	20.0	..	1	..	30	8	11	..	93	9.2	7
Kamptee	36	20	28.9	2	7	10.1	..
Jabalpur	237	119	26.1	..	2	..	6	4	5	..	30	6.5	..
Murwara	39	9	12.0	3	4.0	..
Sagar	75	46	31.9	2	1	10	6.9	..
Damoh	42	62	76.6	3	2	20	24.7	..
Itarsi	30	21	36.4	4	7	12.1	7
Khandwa	59	27	23.8	1	9	7.9	..
Burhanpur	79	76	50.0	6	1	5	..	18	11.8	..
Bilaspur	40	35	45.0	5	21	27.1	10
TOTAL	1,165	618	27.6	..	3	..	59	16	21	..	218	9.7	24
Uttar Pradesh													
<i>for w/e 3-9-55</i>													
Etawah	64	68	56.3	6	3	19	15.7	6
<i>for w/e 10-9-55</i>													
Allahabad	349	200	30.5	5	28	1	71	10.8	24
Bijnor	32	14	23.5	1	1	4	6.7	1
Etawah	64	91	75.3	9	4	5	..	33	27.3	13
Ferozabad	79	40	27.4	3	6	4.1	2
Lucknow	494	494	52.0	22	10	28	1	171	18.2	63
Maunath Bhanjan	38	41	54.8	..	1	..	6	11	15.3	4
Pilibhit	45	44	51.4	10	..	2	..	13	14.1	4

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st September, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from —										D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.	Total				
Uttar Pradesh—<i>contd.</i>															
Rampur	158	3	10.0	2	..	1	..	8	26	28.2	1	
Sambhal	65	75	61.0	16	..	3	..	2	7	9	9	
<i>for w/e 10-9-55—<i>contd.</i></i>															
Bijnor	32	31	52.1	5	1	12	20.2	7	7	
Ballia	35	16	24.0	2	3	4.6	
Rampur	158	2	0.7	2	0.7	
<i>for w/e 17-9-55</i>															
Bijnor	32	15	25.2	4	..	2	..	10	16.8	2	2	
Hapur	49	62	67.3	3	1	1	..	10	10.9	3	3	
<i>for w/e 24-9-55</i>															
Bulandshahr	42	15	19.1	2	2	2.5	
Ballia	35	13	19.9	2	..	1	..	13	19.9	8	8	
Etawah	64	91	75.3	7	4	3	..	28	23.2	16	16	
Rampur	158	4	1.3	2	..	7	2.4	
<i>for w/e 8-10-55</i>															
Banda	32	19	30.9	1	..	3	4.9	1	1	
<i>for w/e 15-10-55</i>															
Bijnor	32	25	42.0	1	..	2	..	5	8.4	
Dehra Dun	146	60	22.2	2	1	5	..	20	7.4	
Ballia	35	14	21.5	5	7.7	
Etawah	64	64	52.0	4	..	5	..	15	12.1	6	6	
Lucknow	494	413	44.4	14	4	21	..	90	9.7	34	34	
Rampur	158	4	1.3	1	1	5	1.7	
<i>for w/e 22-10-55</i>															
Bijnor	32	37	62.2	3	2	3	..	9	15.1	3	3	
Etawah	64	78	64.4	13	..	2	..	22	18.2	8	8	
Hardwar	64	51	42.2	16	..	8	..	33	27.3	10	10	
Maunath Bhanjan	38	36	50.7	..	1	..	3	2	11	15.5	4	4	
Rampur	158	5	1.7	3	8	2.7	
<i>for w/e 29-10-55</i>															
Dehra Dun	146	60	22.2	..	3	..	1	17	6.3	3	3	
Ballia	35	9	13.8	1	6	9.2	3	3	
Etawah	64	78	64.5	4	1	2	..	15	12.4	6	6	
Maunath Bhanjan	38	19	26.0	2	2	6	8.3	2	2	
Rampur	158	..	47.2	6	..	1	..	12	9.8	4	4	
Sambhal	65	58	47.2	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 1st September, 1956 relates to 241 towns with an estimated population of 35,587 thousands. The total number of towns is 318 and their population is 41,584 thousands. Thus 76% of the total number of towns representing 86% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 24,616 and 9,034 representing birth and death rates of 36.0 and 13.2 per thousand of population respectively.

(a) *States (Part A and C):*—The data here relate to 206 towns with an estimated population of 29,762 thousands. Information about Bihar could not be included. The total number of towns is 253 and their population is 33,500 thousands. Thus 81% of the total number of towns representing 89% of the total population is covered.

The number of births and deaths recorded in these towns were 21,897 and 8,114 representing birth rates and death rates of 38.3 and 14.2 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Part B):*—The data here relate to 35 towns with an estimated population of 5,825 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 54% of the total number of towns representing 72% of the total population is covered. The number of births and deaths recorded in these towns were 2,719 and 920 representing birth and death rates of 24.3 and 8.2 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 1-9-56		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer . . .	16.4	13.1	†	†	40.2	15.4
Andhra . . .	50.9	18.6	42.7	16.2	†	†
Bombay . . .	36.2	13.6	37.5	14.2	36.1	17.3
Delhi . . .	37.0	9.5	40.8	9.3	42.9	12.1
Madhya Pradesh . . .	36.6	10.8	37.9	14.5	40.5	21.1
Madras . . .	46.5	16.9	39.7	15.9	†	†
Orissa . . .	50.7	21.5	53.1	18.9	54.6	21.8
Punjab (I) . . .	40.2	12.0	50.1	11.8	44.9	11.9
Uttar Pradesh . . .	43.6	16.6	41.0	15.9	42.9	19.7
West Bengal . . .	25.6	11.2	24.4	9.7	23.8	11.4
*India . . .	38.3	14.2	37.4	13.7	40.6	18.1

*8 Part 'A' States and 2 Part 'C' States.

†Figures not available.

NEW DELHI-2 (INDIA) ;
The 24th September, 1956.

K. MITRA,

for Registrar General, India.

